

Test Report

Number: GZHH00638304S1

Applicant: ZHONGSHAN JINLANG DAILY PRODUCTS CO.,LTD
NO.18,BAOSHENG FIRST STREET,XIAOLAN
TOWN,ZHONGSHAN CITY, GUANGDONG PROVINCE.

Date: Jul 17, 2026

Attn: IRIS

*This is to supersede Report No.
GZHH00638304 dated Jun 23,
2026*

Sample Description:

Nineteen (19) pieces of submitted sample said to be :

Item Name : **Safety Gate**

Item No. : **BG-07(H76W72-108.5), BG-07(H76W77.8-121), BG-07(H92W72-108.5), BG-07(H92W77.8-121), BG-07(H74W72-108.5)**

Date Sample Received : Mar 20, 2026 & Jul 03, 2026

Testing Period : Mar 20, 2026 to Jul 15, 2026



BG-07(H76W72-108.5)



BG-07(H76W77.8-121)



To be continued



Page 1 of 12

Intertek Testing Services Shenzhen Limited, Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

111, Huichuang Kongjian, TCL Cultural Industrial Park, No.69, Guangpu Road, Huangpu District, Guangzhou, Guangdong, China. / Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou, China

广州市黄埔区光谱西路 69 号 TCL 文化产业园汇创空间 111 室/广州市黄埔区保盈东路 8 号 401 房、501 房、

601 房、801 房、901 房、1003 房

Tel +8620 28209114
intertek.com.cn
intertek.com





BG-07(H92W72-108.5)



BG-07(H92W77.8-121)



BG-07(H74W72-108.5)



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

To be continued



Test Report

Number: GZHH00638304S1

Conclusion:

<u>Tested sample</u>	<u>Standard/Test Item</u>	<u>Result</u>
Submitted samples	ASTM F1004-25 ^{E1} - Standard Consumer Safety Specification for Expansion Gates and Expandable Enclosures	Pass
	16 CFR 1239 (Incorporating by reference ASTM F1004-25) - Safety Standard for Gates and Enclosures	Pass
	16 CFR 1130 - Requirements for Consumer Registration of Durable Infant or Toddler Products	Pass
	<u>Standard - U.S. CFR Title 16 (CPSC Regulations)</u> Physical and mechanical tests	Pass
	Part 1500.3(C)(6)(vi) flammability test on rigid and pliable solids	Pass
	<u>Standard/Test Item</u> Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products	Pass
	15 U.S.C. §2063(a)(5) (CPSA)	Pass
	Consumer Product Safety Act Section 14(a) (5)	Pass

To be continued



Page 3 of 12

Intertek Testing Services Shenzhen Limited, Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

111, Huichuang Kongjian, TCL Cultural Industrial Park, No.69, Guangpu Road, Huangpu District, Guangzhou, Guangdong, China. / Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou, China

广州市黄埔区光谱西路 69 号 TCL 文化产业园汇创空间 111 室/广州市黄埔区保盈东路 8 号 401 房、501 房、

601 房、801 房、901 房、1003 房

Tel +8620 28209114
intertek.com.cn
intertek.com




Test Report

Number: GZHH00638304S1

Conclusion:

<u>Tested sample</u>	<u>Standard/Test Item</u>	<u>Result</u>
Tested components of submitted samples	U.S. 16 CFR Part 1303 total Lead content	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for total Lead content in surface coating	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for Total Lead content in substrate	Pass

Authorized by:
For Intertek Testing Services Shenzhen Ltd.
Guangzhou Branch, Hardlines


Victor T.J. Wang
General Manager



Should you have any query on this report, please click the link below:
https://verifyindex.intertek.com.cn/home/index?id=hl_report_verify



Page 4 of 12

Intertek Testing Services Shenzhen Limited, Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

111, Huichuang Kongjian, TCL Cultural Industrial Park, No.69, Guangpu Road, Huangpu District, Guangzhou, Guangdong, China. / Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou, China

广州市黄埔区光谱西路 69 号 TCL 文化产业园汇创空间 111 室/广州市黄埔区保盈东路 8 号 401 房、501 房、601 房、801 房、901 房、1003 房

Tel +8620 28209114
intertek.com.cn
intertek.com



Test Report

Number: GZHH00638304S1

Tests Conducted

1 Safety Specification for Expansion Gates/Expandable Enclosures

Test standard: ASTM F1004-25^{e1} - Standard Consumer Safety Specification for Expansion Gates and Expandable Enclosures.

Product type: Expansion gates.

Executive summary:

Clause	Testing Items	Result
1	Scope	
2	Referenced documents	
3	Terminology	
4	Calibration and standardization	
5	General requirements	
5.1	Wood parts	NA
5.2	Screws	P
5.3	Hazardous sharp edges or points	P
5.4	Small parts	P
5.5	Openings	P
5.6	Exposed coil springs	NA
5.7	Scissoring, shearing and pinching	P
5.8	Labeling	P
5.9	Paint and surface coating (16 CFR 1303)	P
5.10	Protective components	P
6	Performance requirements	
6.1.1	Completely-bounded openings	P
6.1.2	Height of sides	P
6.1.3	Vertical strength	P
6.1.4	Bottom spacing	P
6.1.5	Configuration of uppermost edge	NA
6.2	Latching/Locking and hinge mechanisms	
6.2.1	Pressure-mounted gates	NA
6.2.2	Unit with egress panels	P



Page 5 of 12

Intertek Testing Services Shenzhen Limited, Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

111, Huichuang Kongjian, TCL Cultural Industrial Park, No.69, Guangpu Road, Huangpu District, Guangzhou, Guangdong, China. / Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou, China

广州市黄埔区光谱西路 69 号 TCL 文化产业园汇创空间 111 室/广州市黄埔区保盈东路 8 号 401 房、501 房、601 房、801 房、901 房、1003 房

Tel +8620 28209114
intertek.com.cn
intertek.com



Test Report

Number: GZHH00638304S1

Tests Conducted

Clause	Testing items	Result
6.3	Horizontal push-out	P
6.4	Locking device	
6.4.1	Single-action	NA
6.4.2	Double-action	P
6.5	Toys	P
6.6	Slat strength test	P
6.7	Pressure-mounted gate-mounting hardware	NA
6.8	Visual side-pressure Indicators	NA
6.9	Any features or openings within the gate that allow for unassisted pet entry or egress (shall not include)	P
7	Test methods	
8	Marking and labeling	P
9	Instructional literature	P

Abbreviation : P = Pass; NA = Not Applicable; NR = Not Requested by the Applicant

2 Safety Standard for Gates and Enclosures

As per 16 CFR 1239 – Safety Standard for Gates and Enclosures, the submitted sample was subjected to the following tests in accordance with ASTM F1004-25.

Product type: Expansion gates.

Executive summary:

Clause	Testing Items	Result
1	Scope	
2	Referenced documents	
3	Terminology	
4	Calibration and standardization	
5	General requirements	
5.1	Wood parts	NA
5.2	Screws	P
5.3	Hazardous sharp edges or points	P
5.4	Small parts	P
5.5	Openings	P



Page 6 of 12

Intertek Testing Services Shenzhen Limited, Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

111, Huichuang Kongjian, TCL Cultural Industrial Park, No.69, Guangpu Road, Huangpu District, Guangzhou, Guangdong, China. / Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou, China

广州市黄埔区光谱西路 69 号 TCL 文化产业园汇创空间 111 室/广州市黄埔区保盈东路 8 号 401 房、501 房、601 房、801 房、901 房、1003 房

Tel +8620 28209114
intertek.com.cn
intertek.com



Test Report

Number: GZHH00638304S1

Tests Conducted

Clause	Testing Items	Result
5.6	Exposed coil springs	NA
5.7	Scissoring, shearing and pinching	P
5.8	Labeling	P
5.9	Paint and surface coating (16 CFR 1303)	P
5.10	Protective components	P
6	Performance requirements	
6.1.1	Completely-bounded openings	P
6.1.2	Height of sides	P
6.1.3	Vertical strength	P
6.1.4	Bottom spacing	P
6.1.5	Configuration of uppermost edge	NA
6.2	Latching/Locking and hinge mechanisms	
6.2.1	Pressure-mounted gates	NA
6.2.2	Unit with egress panels	P
6.3	Horizontal push-out	P
6.4	Locking device	
6.4.1	Single-action	NA
6.4.2	Double-action	P
6.5	Toys	P
6.6	Slat strength test	P
6.7	Pressure-mounted gate-mounting hardware	NA
6.8	Visual side-pressure Indicators	NA
6.9	Any features or openings within the gate that allow for unassisted pet entry or egress (shall not include)	P
7	Test methods	
8	Marking and labeling	P
9	Instructional literature	P

Abbreviation : P = Pass; NA = Not Applicable; NR = Not Requested by the Applicant



Page 7 of 12

Intertek Testing Services Shenzhen Limited, Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

111, Huichuang Kongjian, TCL Cultural Industrial Park, No.69, Guangpu Road, Huangpu District, Guangzhou, Guangdong, China. / Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou, China

广州市黄埔区光谱西路 69 号 TCL 文化产业园汇创空间 111 室/广州市黄埔区保盈东路 8 号 401 房、501 房、

601 房、801 房、901 房、1003 房

Tel +8620 28209114
intertek.com.cn
intertek.com


Test Report

Number: GZHH00638304S1

Tests Conducted

3 Requirements for Consumer Registration of Durable Infant or Toddler Products


As per the client's requirements, with reference to 16 CFR 1130 - Requirements for Consumer Registration of Durable Infant or Toddler Products, the submitted sample was subjected to the following tests.

Executive Summary:

Clause	Requirements	Result
1130.3	General requirements	P
1130.4	Identification on the product	P
1130.5	Requirements for registration forms	P
1130.6	Requirements for format and text of registration forms	P
1130.7	Requirements for Web site registration or alternative email registration	P

Abbreviation: P = Pass

Photos of tested sample for reference



Test Report

Number: GZHH00638304S1

Tests Conducted

PRODUCT REGISTRATION FOR SAFETY ALERT OR RECALL ONLY We will use the information provided on this card to contact you only if there is a safety alert or recall for this product. We will not sell, rent, or share your personal information. To register your product, please complete and mail the bottom part of this card, or email your contact information, the model name and number, and date of manufacture of the product, as provided on this card, to: support1@vevor.com. BUSINESS REPLY MAIL FIRST-CLASS MAIL PERMIT NO. 91730 Rancho Cucamonga, CA POSTAGE WILL BE PAID BY ADDRESSEE Samven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730 +1 (856) 422-2999 support1@vevor.com	Manufacturer's Contact Information Samven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730 +1 (856) 422-2999 support1@vevor.com Model Name: Safety gate Model Number: BG-07(H76W72-108.5) Manufacture Date: 03/2026 KEEP THIS TOP PART FOR YOUR RECORDS. FILL OUT AND RETURN BOTTOM PART. Name _____ Mailing Address _____ City _____ State _____ Zip Code _____ Telephone Number _____ E-mail address _____ Model Name: Safety gate Model Number: BG-07(H76W72-108.5) Manufacture Date: 03/2026
PRODUCT REGISTRATION FOR SAFETY ALERT OR RECALL ONLY We will use the information provided on this card to contact you only if there is a safety alert or recall for this product. We will not sell, rent, or share your personal information. To register your product, please complete and mail the bottom part of this card, or email your contact information, the model name and number, and date of manufacture of the product, as provided on this card, to: support1@vevor.com. BUSINESS REPLY MAIL FIRST-CLASS MAIL PERMIT NO. 91730 Rancho Cucamonga, CA POSTAGE WILL BE PAID BY ADDRESSEE Samven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730 +1 (856) 422-2999 support1@vevor.com	Manufacturer's Contact Information Samven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730 +1 (856) 422-2999 support1@vevor.com Model Name: Safety gate Model Number: BG-07(H76W77.5-121) Manufacture Date: 03/2026 KEEP THIS TOP PART FOR YOUR RECORDS. FILL OUT AND RETURN BOTTOM PART. Name _____ Mailing Address _____ City _____ State _____ Zip Code _____ Telephone Number _____ E-mail address _____ Model Name: Safety gate Model Number: BG-07(H76W77.5-121) Manufacture Date: 03/2026
PRODUCT REGISTRATION FOR SAFETY ALERT OR RECALL ONLY We will use the information provided on this card to contact you only if there is a safety alert or recall for this product. We will not sell, rent, or share your personal information. To register your product, please complete and mail the bottom part of this card, or email your contact information, the model name and number, and date of manufacture of the product, as provided on this card, to: support1@vevor.com. BUSINESS REPLY MAIL FIRST-CLASS MAIL PERMIT NO. 91730 Rancho Cucamonga, CA POSTAGE WILL BE PAID BY ADDRESSEE Samven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730 +1 (856) 422-2999 support1@vevor.com	Manufacturer's Contact Information Samven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730 +1 (856) 422-2999 support1@vevor.com Model Name: Safety gate Model Number: BG-07(H74W72-108.5) Manufacture Date: 03/2026 KEEP THIS TOP PART FOR YOUR RECORDS. FILL OUT AND RETURN BOTTOM PART. Name _____ Mailing Address _____ City _____ State _____ Zip Code _____ Telephone Number _____ E-mail address _____ Model Name: Safety gate Model Number: BG-07(H74W72-108.5) Manufacture Date: 03/2026



Test Report

Number: GZHH00638304S1

Tests Conducted

4 Physical and Mechanical Tests

As per U.S. Code of Federal Regulations Title 16 part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

Applicant's specified age group for testing: 8 months and up

	No. of sample tested	Sharp Point (1500.48)	Sharp Edge (1500.49)	Small Part (1501)
As received	1	P	P	P
Impact test (1500.51(b))	1	P	P	P
Flexure test (1500.53(d))	0	NA	NA	NA
Torque test (1500.53(e))	1	P	P	P
Tension test (1500.53(f))	1	P	P	P
Compression test (1500.53(g))	1	P	P	P

Remark: P = Pass NA = Not Applicable

5 Flammability test

As per U.S. Code of Federal Regulations Title 16 Part 1500.44 for rigid and pliable solids

Result : Did not ignite

6 Tracking Label Assessment

As per consumer product safety Act section 14(a) (5), 15 U.S.C. §2063(a)(5) (CPSA) and Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products

Tracking label found on the packaging:

Name of manufacturer / importer / private labeler:	Shanghai Sishun Technology Co., Ltd
Location of production:	4th Floor, Building 2, No. 599 Wan Zhen Road, Zhenxin Xincun Subdistrict, Jiading District, Shanghai, 201800 China
Date code:	202603

Tracking label found on the product:

Name of manufacturer / importer / private labeler:	Shanghai Sishun Technology Co., Ltd
Location of production:	4th Floor, Building 2, No. 599 Wan Zhen Road, Zhenxin Xincun Subdistrict, Jiading District, Shanghai, 201800 China
Date code:	202603

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.



Test Report

Number: GZHH00638304S1

Tests Conducted

7 Total Lead (Pb) Content in Surface Coating (U.S. 16 CFR Part 1303 and CPSIA Section 101(15 USC 1278a))

As per Standard Operating Procedure for Determining Lead (Pb) in paint and other similar surface coatings, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Element	Result (mg/kg)	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(1+2), (19)		
Lead (Pb)	ND	10	90

The above limit was quoted according to U.S. 16 CFR Part 1303 and U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for total Lead content in surface coating.

ppm = parts per million = mg/kg

ND = Not detected (less than detection limit)

Tested component(s): See component list in the last section of this report

8 Total Lead (Pb) Content in Substrate (U.S. CPSIA Section 101(15 USC 1278a))

As per Standard Operating Procedures for Determining total Lead (Pb) in children's products, test methods CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 were used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry and/or Atomic Absorption Spectrometry.

Element	Result (mg/kg)	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(3+4+5), (6+7), (8+10+11), (12), (9), (20)		
Lead (Pb)	ND	10	100

The above limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for total Lead content in substrate.

ppm = parts per million = mg/kg

ND = Not detected (less than detection limit)

Tested components: See component list in the last section of this report



Page 11 of 12



Test Report

Number: GZHH00638304S1

Tests Conducted

Component list:

Sequence No.	Test Component No.	Test Component Description(s)
SN1	1.	White coating on metal (surface of frame of white gate).
SN2	2.	Black coating on metal (surface of frame of black gate).
SN3	3.	Matte white plastic (buckle, connector, end closure of white gate).
SN4	4.	Grey plastic (switch of handle of both gates).
SN5	5.	White plastic (handle, connector of white gate).
SN6	6.	Black plastic (handle, connector of white gate).
SN7	7.	Matte black plastic (buckle, connector, end closure of black style).
SN8	8.	Silver color metal excluding coatings (frame of both gates).
SN9	9.	Silver color solder excluding coatings (fastener of frame of both gates).
SN10	10.	Silver-blue metal (screw of both gates).
SN11	11.	Light silver-blue metal (rivet of frame of both gates).
SN12	12.	Matt silver color metal (short screw, screw of connector of both gates).
SN13	19.	Coatings (orange, black) on plastic (warning label).
SN14	20.	White plastic label excluding coatings (warning label).

End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Shenzhen Limited, Guangzhou Branch.



Page 12 of 12

Intertek Testing Services Shenzhen Limited, Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

111, Huichuang Kongjian, TCL Cultural Industrial Park, No.69, Guangpu Road, Huangpu District, Guangzhou, Guangdong, China. / Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou, China

广州市黄埔区光谱西路 69 号 TCL 文化产业园汇创空间 111 室/广州市黄埔区保盈东路 8 号 401 房、501 房、601 房、801 房、901 房、1003 房

Tel +8620 28209114
intertek.com.cn
intertek.com



To: ZHONGSHAN JINLANG DAILY PRODUCTS
CO.,LTD

Ref: FC-260

Attention: IRIS

Date: Jul 16, 2026

Re : Report Revision Notification

Intertek Testing Services Report Number GZHH00638304 Dated Jun 23, 2026

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now supersede by a revised Intertek Testing Services Report, GZHH00638304S1

Details of report amendment:

1. Add the chemical test of actual labeling & physical test of product information.

Thank you for your attention.

Authorized by:
For Intertek Testing Services Shenzhen Ltd.
Guangzhou Branch, Hardlines



Victor T.J. Wang
General Manager

